




Version standard

Belt material: low friction acetal resin, dark grey colour

Rubber material: thermoplastic rubber, waterblue colour

Backflex radius: 20 mm

Max load capacity: 20.000 N/m

Standard length: 120 pitches (5 ft - 1.524 m)

Pin material: PBT (white)

Standard materials

LFG	TPR
Low Friction Acetal Resin	Thermoplastic Rubber



Pages 4⇨7



Pages 306⇨308 +310




Page 112



Pages 333⇨337


TYPE VG 2120



Weight: 9.3 Kg/m²

Width W mm	Belts Ref.	Code	Width W mm	Belts Ref.	Code	Width W mm	Belts Ref.	Code
85	VG 2120-0085	254700	935	VG 2120-0935	254710	1785	VG 2120-1785	254720
170	VG 2120-0170	254701	1020	VG 2120-1020	254711	1870	VG 2120-1870	254721
255	VG 2120-0255	254702	1105	VG 2120-1105	254712	1955	VG 2120-1955	254722
340	VG 2120-0340	254703	1190	VG 2120-1190	254713	2040	VG 2120-2040	254723
425	VG 2120-0425	254704	1275	VG 2120-1275	254714	2125	VG 2120-2125	254724
510	VG 2120-0510	254705	1360	VG 2120-1360	254715	2210	VG 2120-2210	254725
595	VG 2120-0595	254706	1445	VG 2120-1445	254716	2295	VG 2120-2295	254726
680	VG 2120-0680	254707	1530	VG 2120-1530	254717	2380	VG 2120-2380	254727
765	VG 2120-0765	254708	1615	VG 2120-1615	254718			
850	VG 2120-0850	254709	1700	VG 2120-1700	254719			


TYPE VG2 2120



Weight: 9.1 Kg/m²

Width W mm	Belts Ref.	Code	Width W mm	Belts Ref.	Code	Width W mm	Belts Ref.	Code
85	VG2 2120-0085	254800	935	VG2 2120-0935	254810	1785	VG2 2120-1785	254820
170	VG2 2120-0170	254801	1020	VG2 2120-1020	254811	1870	VG2 2120-1870	254821
255	VG2 2120-0255	254802	1105	VG2 2120-1105	254812	1955	VG2 2120-1955	254822
340	VG2 2120-0340	254803	1190	VG2 2120-1190	254813	2040	VG2 2120-2040	254823
425	VG2 2120-0425	254804	1275	VG2 2120-1275	254814	2125	VG2 2120-2125	254824
510	VG2 2120-0510	254805	1360	VG2 2120-1360	254815	2210	VG2 2120-2210	254825
595	VG2 2120-0595	254806	1445	VG2 2120-1445	254816	2295	VG2 2120-2295	254826
680	VG2 2120-0680	254807	1530	VG2 2120-1530	254817	2380	VG2 2120-2380	254827
765	VG2 2120-0765	254808	1615	VG2 2120-1615	254818			
850	VG2 2120-0850	254809	1700	VG2 2120-1700	254819			


TYPE VG3 2120



Weight: 9.0 Kg/m²

Width W mm	Belts Ref.	Code	Width W mm	Belts Ref.	Code	Width W mm	Belts Ref.	Code
85	VG3 2120-0085	254900	935	VG3 2120-0935	254910	1785	VG3 2120-1785	254920
170	VG3 2120-0170	254901	1020	VG3 2120-1020	254911	1870	VG3 2120-1870	254921
255	VG3 2120-0255	254902	1105	VG3 2120-1105	254912	1955	VG3 2120-1955	254922
340	VG3 2120-0340	254903	1190	VG3 2120-1190	254913	2040	VG3 2120-2040	254923
425	VG3 2120-0425	254904	1275	VG3 2120-1275	254914	2125	VG3 2120-2125	254924
510	VG3 2120-0510	254905	1360	VG3 2120-1360	254915	2210	VG3 2120-2210	254925
595	VG3 2120-0595	254906	1445	VG3 2120-1445	254916	2295	VG3 2120-2295	254926
680	VG3 2120-0680	254907	1530	VG3 2120-1530	254917	2380	VG3 2120-2380	254927
765	VG3 2120-0765	254908	1615	VG3 2120-1615	254918			
850	VG3 2120-0850	254909	1700	VG3 2120-1700	254919			

Other widths available on request.

**Version with one positioner****Belt material:** low friction acetal resin, dark grey colour**Rubber material:** thermoplastic rubber, waterblue colour**Backflex radius:** 20 mm**Max load capacity:** 20.000 N/m**Standard length:** 120 pitches (5 ft - 1.524 m)**Pin material:** PBT (white)**Standard materials**

LFG	TPR
Low Friction Acetal Resin	Thermoplastic Rubber



Pages 4⇌7




Pages 306⇌308 +310




Page 112




Pages 333⇌337

TYPE VG 2120 P1**Weight:** 9.3 Kg/m²

Width W mm	Belts Ref.	Code	Width W mm	Belts Ref.	Code	Width W mm	Belts Ref.	Code
85	VG 2120-0085 P1	255000	935	VG 2120-0935 P1	255010	1785	VG 2120-1785 P1	255020
170	VG 2120-0170 P1	255001	1020	VG 2120-1020 P1	255011	1870	VG 2120-1870 P1	255021
255	VG 2120-0255 P1	255002	1105	VG 2120-1105 P1	255012	1955	VG 2120-1955 P1	255022
340	VG 2120-0340 P1	255003	1190	VG 2120-1190 P1	255013	2040	VG 2120-2040 P1	255023
425	VG 2120-0425 P1	255004	1275	VG 2120-1275 P1	255014	2125	VG 2120-2125 P1	255024
510	VG 2120-0510 P1	255005	1360	VG 2120-1360 P1	255015	2210	VG 2120-2210 P1	255025
595	VG 2120-0595 P1	255006	1445	VG 2120-1445 P1	255016	2295	VG 2120-2295 P1	255026
680	VG 2120-0680 P1	255007	1530	VG 2120-1530 P1	255017	2380	VG 2120-2380 P1	255027
765	VG 2120-0765 P1	255008	1615	VG 2120-1615 P1	255018			
850	VG 2120-0850 P1	255009	1700	VG 2120-1700 P1	255019			


TYPE VG2 2120 P1**Weight:** 9.2 Kg/m²

Width W mm	Belts Ref.	Code	Width W mm	Belts Ref.	Code	Width W mm	Belts Ref.	Code
85	VG2 2120-0085 P1	255100	935	VG2 2120-0935 P1	255110	1785	VG2 2120-1785 P1	255120
170	VG2 2120-0170 P1	255101	1020	VG2 2120-1020 P1	255111	1870	VG2 2120-1870 P1	255121
255	VG2 2120-0255 P1	255102	1105	VG2 2120-1105 P1	255112	1955	VG2 2120-1955 P1	255122
340	VG2 2120-0340 P1	255103	1190	VG2 2120-1190 P1	255113	2040	VG2 2120-2040 P1	255123
425	VG2 2120-0425 P1	255104	1275	VG2 2120-1275 P1	255114	2125	VG2 2120-2125 P1	255124
510	VG2 2120-0510 P1	255105	1360	VG2 2120-1360 P1	255115	2210	VG2 2120-2210 P1	255125
595	VG2 2120-0595 P1	255106	1445	VG2 2120-1445 P1	255116	2295	VG2 2120-2295 P1	255126
680	VG2 2120-0680 P1	255107	1530	VG2 2120-1530 P1	255117	2380	VG2 2120-2380 P1	255127
765	VG2 2120-0765 P1	255108	1615	VG2 2120-1615 P1	255118			
850	VG2 2120-0850 P1	255109	1700	VG2 2120-1700 P1	255119			

TYPE VG3 2120 P1**Weight:** 9.1 Kg/m²

Width W mm	Belts Ref.	Code	Width W mm	Belts Ref.	Code	Width W mm	Belts Ref.	Code
85	VG3 2120-0085 P1	255200	935	VG3 2120-0935 P1	255210	1785	VG3 2120-1785 P1	255220
170	VG3 2120-0170 P1	255201	1020	VG3 2120-1020 P1	255211	1870	VG3 2120-1870 P1	255221
255	VG3 2120-0255 P1	255202	1105	VG3 2120-1105 P1	255212	1955	VG3 2120-1955 P1	255222
340	VG3 2120-0340 P1	255203	1190	VG3 2120-1190 P1	255213	2040	VG3 2120-2040 P1	255223
425	VG3 2120-0425 P1	255204	1275	VG3 2120-1275 P1	255214	2125	VG3 2120-2125 P1	255224
510	VG3 2120-0510 P1	255205	1360	VG3 2120-1360 P1	255215	2210	VG3 2120-2210 P1	255225
595	VG3 2120-0595 P1	255206	1445	VG3 2120-1445 P1	255216	2295	VG3 2120-2295 P1	255226
680	VG3 2120-0680 P1	255207	1530	VG3 2120-1530 P1	255217	2380	VG3 2120-2380 P1	255227
765	VG3 2120-0765 P1	255208	1615	VG3 2120-1615 P1	255218			
850	VG3 2120-0850 P1	255209	1700	VG3 2120-1700 P1	255219			

Other widths available on request.


Version standard

Belt material: low friction acetal resin, dark grey colour


Rubber material: thermoplastic rubber, waterblue colour

Backflex radius: 20 mm

Max load capacity: 20.000 N/m

Standard length: 120 pitches (5 ft - 1.524 m)

Pin material: PBT (white)


Standard materials

LFG	TPR
Low Friction Acetal Resin	Thermoplastic Rubber



Pages 4⇒7




Pages 306⇒308 +310



Page 112




Pages 333⇒337

TYPE VG 2120 P2



Weight: 9.4 Kg/m²

Width W mm	Belts Ref.	Code	Width W mm	Belts Ref.	Code	Width W mm	Belts Ref.	Code
85	VG 2120-0085 P2	255300	935	VG 2120-0935 P2	255310	1785	VG 2120-1785 P2	255320
170	VG 2120-0170 P2	255301	1020	VG 2120-1020 P2	255311	1870	VG 2120-1870 P2	255321
255	VG 2120-0255 P2	255302	1105	VG 2120-1105 P2	255312	1955	VG 2120-1955 P2	255322
340	VG 2120-0340 P2	255303	1190	VG 2120-1190 P2	255313	2040	VG 2120-2040 P2	255323
425	VG 2120-0425 P2	255304	1275	VG 2120-1275 P2	255314	2125	VG 2120-2125 P2	255324
510	VG 2120-0510 P2	255305	1360	VG 2120-1360 P2	255315	2210	VG 2120-2210 P2	255325
595	VG 2120-0595 P2	255306	1445	VG 2120-1445 P2	255316	2295	VG 2120-2295 P2	255326
680	VG 2120-0680 P2	255307	1530	VG 2120-1530 P2	255317	2380	VG 2120-2380 P2	255327
765	VG 2120-0765 P2	255308	1615	VG 2120-1615 P2	255318			
850	VG 2120-0850 P2	255309	1700	VG 2120-1700 P2	255319			

TYPE VG2 2120 P2


Weight: 9.2 Kg/m²

Width W mm	Belts Ref.	Code	Width W mm	Belts Ref.	Code	Width W mm	Belts Ref.	Code
85	VG2 2120-0085 P2	255400	935	VG2 2120-0935 P2	255410	1785	VG2 2120-1785 P2	255420
170	VG2 2120-0170 P2	255401	1020	VG2 2120-1020 P2	255411	1870	VG2 2120-1870 P2	255421
255	VG2 2120-0255 P2	255402	1105	VG2 2120-1105 P2	255412	1955	VG2 2120-1955 P2	255422
340	VG2 2120-0340 P2	255403	1190	VG2 2120-1190 P2	255413	2040	VG2 2120-2040 P2	255423
425	VG2 2120-0425 P2	255404	1275	VG2 2120-1275 P2	255414	2125	VG2 2120-2125 P2	255424
510	VG2 2120-0510 P2	255405	1360	VG2 2120-1360 P2	255415	2210	VG2 2120-2210 P2	255425
595	VG2 2120-0595 P2	255406	1445	VG2 2120-1445 P2	255416	2295	VG2 2120-2295 P2	255426
680	VG2 2120-0680 P2	255407	1530	VG2 2120-1530 P2	255417	2380	VG2 2120-2380 P2	255427
765	VG2 2120-0765 P2	255408	1615	VG2 2120-1615 P2	255418			
850	VG2 2120-0850 P2	255409	1700	VG2 2120-1700 P2	255419			

TYPE VG3 2120 P2


Weight: 9.1 Kg/m²

Width W mm	Belts Ref.	Code	Width W mm	Belts Ref.	Code	Width W mm	Belts Ref.	Code
85	VG3 2120-0085 P2	255500	935	VG3 2120-0935 P2	255510	1785	VG3 2120-1785 P2	255520
170	VG3 2120-0170 P2	255501	1020	VG3 2120-1020 P2	255511	1870	VG3 2120-1870 P2	255521
255	VG3 2120-0255 P2	255502	1105	VG3 2120-1105 P2	255512	1955	VG3 2120-1955 P2	255522
340	VG3 2120-0340 P2	255503	1190	VG3 2120-1190 P2	255513	2040	VG3 2120-2040 P2	255523
425	VG3 2120-0425 P2	255504	1275	VG3 2120-1275 P2	255514	2125	VG3 2120-2125 P2	255524
510	VG3 2120-0510 P2	255505	1360	VG3 2120-1360 P2	255515	2210	VG3 2120-2210 P2	255525
595	VG3 2120-0595 P2	255506	1445	VG3 2120-1445 P2	255516	2295	VG3 2120-2295 P2	255526
680	VG3 2120-0680 P2	255507	1530	VG3 2120-1530 P2	255517	2380	VG3 2120-2380 P2	255527
765	VG3 2120-0765 P2	255508	1615	VG3 2120-1615 P2	255518			
850	VG3 2120-0850 P2	255509	1700	VG3 2120-1700 P2	255519			

Other widths available on request.