





Version standard

Belt material: low friction acetal resin, dark grey colour

Rubber material: thermoplastic rubber, waterblue colour

Backflex radius: 30 mm

Max load capacity: 38.000 N/m

Standard length: 60 pitches

(5 ft - 1.524 m)

Pin material: PBT (white)

Standard materials

LFG	TPR
Low Friction Acetal Resin	Thermoplastic Rubber



Pages 4→7




Pages 315→317



Pages 333→337


TYPE VG 2251



Weight: 15.40 Kg/m²

Width W mm	Belts Ref.	Code	Width W mm	Belts Ref.	Code	Width W mm	Belts Ref.	Code
85	VG 2251-0085	252000	935	VG 2251-0935	252010	1785	VG 2251-1785	252020
170	VG 2251-0170	252001	1020	VG 2251-1020	252011	1870	VG 2251-1870	252021
255	VG 2251-0255	252002	1105	VG 2251-1105	252012	1955	VG 2251-1955	252022
340	VG 2251-0340	252003	1190	VG 2251-1190	252013	2040	VG 2251-2040	252023
425	VG 2251-0425	252004	1275	VG 2251-1275	252014	2125	VG 2251-2125	252024
510	VG 2251-0510	252005	1360	VG 2251-1360	252015	2210	VG 2251-2210	252025
595	VG 2251-0595	252006	1445	VG 2251-1445	252016	2295	VG 2251-2295	252026
680	VG 2251-0680	252007	1530	VG 2251-1530	252017	2380	VG 2251-2380	252027
765	VG 2251-0765	252008	1615	VG 2251-1615	252018			
850	VG 2251-0850	252009	1700	VG 2251-1700	252019			


TYPE VG2-2251



Weight: 15.00 Kg/m²

Width W mm	Belts Ref.	Code	Width W mm	Belts Ref.	Code	Width W mm	Belts Ref.	Code
85	VG2 2251-0085	252100	935	VG2 2251-0935	252110	1785	VG2 2251-1785	252120
170	VG2 2251-0170	252101	1020	VG2 2251-1020	252111	1870	VG2 2251-1870	252121
255	VG2 2251-0255	252102	1105	VG2 2251-1105	252112	1955	VG2 2251-1955	252122
340	VG2 2251-0340	252103	1190	VG2 2251-1190	252113	2040	VG2 2251-2040	252123
425	VG2 2251-0425	252104	1275	VG2 2251-1275	252114	2125	VG2 2251-2125	252124
510	VG2 2251-0510	252105	1360	VG2 2251-1360	252115	2210	VG2 2251-2210	252125
595	VG2 2251-0595	252106	1445	VG2 2251-1445	252116	2295	VG2 2251-2295	252126
680	VG2 2251-0680	252107	1530	VG2 2251-1530	252117	2380	VG2 2251-2380	252127
765	VG2 2251-0765	252108	1615	VG2 2251-1615	252118			
850	VG2 2251-0850	252109	1700	VG2 2251-1700	252119			


TYPE VG3-2251



Weight: 14.60 Kg/m²

Width W mm	Belts Ref.	Code	Width W mm	Belts Ref.	Code	Width W mm	Belts Ref.	Code
85	VG3 2251-0085	252200	935	VG3 2251-0935	252210	1785	VG3 2251-1785	252220
170	VG3 2251-0170	252201	1020	VG3 2251-1020	252211	1870	VG3 2251-1870	252221
255	VG3 2251-0255	252202	1105	VG3 2251-1105	252212	1955	VG3 2251-1955	252222
340	VG3 2251-0340	252203	1190	VG3 2251-1190	252213	2040	VG3 2251-2040	252223
425	VG3 2251-0425	252204	1275	VG3 2251-1275	252214	2125	VG3 2251-2125	252224
510	VG3 2251-0510	252205	1360	VG3 2251-1360	252215	2210	VG3 2251-2210	252225
595	VG3 2251-0595	252206	1445	VG3 2251-1445	252216	2295	VG3 2251-2295	252226
680	VG3 2251-0680	252207	1530	VG3 2251-1530	252217	2380	VG3 2251-2380	252227
765	VG3 2251-0765	252208	1615	VG3 2251-1615	252218			
850	VG3 2251-0850	252209	1700	VG3 2251-1700	252219			

Other widths available on request.

**Version with one positioner**

Belt material: low friction acetal resin, dark grey colour


Rubber material: thermoplastic rubber, waterblue colour

Backflex radius: 30 mm

Max load capacity: 38.000 N/m

Standard length: 60 pitches
(5 ft - 1.524 m)

Pin material: PBT (white)

**Standard materials**

LFG	TPR
Low Friction Acetal Resin	Thermoplastic Rubber




Pages
4→7



Pages
315→317




Pages
333→337

TYPE VG 2251 P1


Weight: 15.70 Kg/m²

Width W mm	Belts Ref.	Code	Width W mm	Belts Ref.	Code	Width W mm	Belts Ref.	Code
85	VG 2251-0085 P1	253400	935	VG 2251-0935 P1	253410	1785	VG 2251-1785 P1	253420
170	VG 2251-0170 P1	253401	1020	VG 2251-1020 P1	253411	1870	VG 2251-1870 P1	253421
255	VG 2251-0255 P1	253402	1105	VG 2251-1105 P1	253412	1955	VG 2251-1955 P1	253422
340	VG 2251-0340 P1	253403	1190	VG 2251-1190 P1	253413	2040	VG 2251-2040 P1	253423
425	VG 2251-0425 P1	253404	1275	VG 2251-1275 P1	253414	2125	VG 2251-2125 P1	253424
510	VG 2251-0510 P1	253405	1360	VG 2251-1360 P1	253415	2210	VG 2251-2210 P1	253425
595	VG 2251-0595 P1	253406	1445	VG 2251-1445 P1	253416	2295	VG 2251-2295 P1	253426
680	VG 2251-0680 P1	253407	1530	VG 2251-1530 P1	253417	2380	VG 2251-2380 P1	253427
765	VG 2251-0765 P1	253408	1615	VG 2251-1615 P1	253418			
850	VG 2251-0850 P1	253409	1700	VG 2251-1700 P1	253419			

TYPE VG2-2251 P1

Weight: 15.30 Kg/m²



Width W mm	Belts Ref.	Code	Width W mm	Belts Ref.	Code	Width W mm	Belts Ref.	Code
85	VG2 2251-0085 P1	253500	935	VG2 2251-0935 P1	253510	1785	VG2 2251-1785 P1	253520
170	VG2 2251-0170 P1	253501	1020	VG2 2251-1020 P1	253511	1870	VG2 2251-1870 P1	253521
255	VG2 2251-0255 P1	253502	1105	VG2 2251-1105 P1	253512	1955	VG2 2251-1955 P1	253522
340	VG2 2251-0340 P1	253503	1190	VG2 2251-1190 P1	253513	2040	VG2 2251-2040 P1	253523
425	VG2 2251-0425 P1	253504	1275	VG2 2251-1275 P1	253514	2125	VG2 2251-2125 P1	253524
510	VG2 2251-0510 P1	253505	1360	VG2 2251-1360 P1	253515	2210	VG2 2251-2210 P1	253525
595	VG2 2251-0595 P1	253506	1445	VG2 2251-1445 P1	253516	2295	VG2 2251-2295 P1	253526
680	VG2 2251-0680 P1	253507	1530	VG2 2251-1530 P1	253517	2380	VG2 2251-2380 P1	253527
765	VG2 2251-0765 P1	253508	1615	VG2 2251-1615 P1	253518			
850	VG2 2251-0850 P1	253509	1700	VG2 2251-1700 P1	253519			

TYPE VG3-2251 P1

Weight: 14.90 Kg/m²

Width W mm	Belts Ref.	Code	Width W mm	Belts Ref.	Code	Width W mm	Belts Ref.	Code
85	VG3 2251-0085 P1	253600	935	VG3 2251-0935 P1	253610	1785	VG3 2251-1785 P1	253620
170	VG3 2251-0170 P1	253601	1020	VG3 2251-1020 P1	253611	1870	VG3 2251-1870 P1	253621
255	VG3 2251-0255 P1	253602	1105	VG3 2251-1105 P1	253612	1955	VG3 2251-1955 P1	253622
340	VG3 2251-0340 P1	253603	1190	VG3 2251-1190 P1	253613	2040	VG3 2251-2040 P1	253623
425	VG3 2251-0425 P1	253604	1275	VG3 2251-1275 P1	253614	2125	VG3 2251-2125 P1	253624
510	VG3 2251-0510 P1	253605	1360	VG3 2251-1360 P1	253615	2210	VG3 2251-2210 P1	253625
595	VG3 2251-0595 P1	253606	1445	VG3 2251-1445 P1	253616	2295	VG3 2251-2295 P1	253626
680	VG3 2251-0680 P1	253607	1530	VG3 2251-1530 P1	253617	2380	VG3 2251-2380 P1	253627
765	VG3 2251-0765 P1	253608	1615	VG3 2251-1615 P1	253618			
850	VG3 2251-0850 P1	253609	1700	VG3 2251-1700 P1	253619			

Other widths available on request.

**Version with two positioners**

Belt material: low friction acetal resin, dark grey colour

Rubber material: thermoplastic rubber, waterblue colour

Backflex radius: 30 mm

Max load capacity: 38.000 N/m

Standard length: 60 pitches (5 ft - 1.524 m)

Pin material: PBT (white)

Standard materials

LFG	TPR
Low Friction Acetal Resin	Thermoplastic Rubber




Pages
4⇨7



Pages
315⇨317




Pages
333⇨337

TYPE VG 2251 P2


Weight: 15.90 Kg/m²

Width W mm	Belts Ref.	Code	Width W mm	Belts Ref.	Code	Width W mm	Belts Ref.	Code
85	VG 2251-0085 P2	252300	935	VG 2251-0935 P2	252310	1785	VG 2251-1785 P2	252320
170	VG 2251-0170 P2	252301	1020	VG 2251-1020 P2	252311	1870	VG 2251-1870 P2	252321
255	VG 2251-0255 P2	252302	1105	VG 2251-1105 P2	252312	1955	VG 2251-1955 P2	252322
340	VG 2251-0340 P2	252303	1190	VG 2251-1190 P2	252313	2040	VG 2251-2040 P2	252323
425	VG 2251-0425 P2	252304	1275	VG 2251-1275 P2	252314	2125	VG 2251-2125 P2	252324
510	VG 2251-0510 P2	252305	1360	VG 2251-1360 P2	252315	2210	VG 2251-2210 P2	252325
595	VG 2251-0595 P2	252306	1445	VG 2251-1445 P2	252316	2295	VG 2251-2295 P2	252326
680	VG 2251-0680 P2	252307	1530	VG 2251-1530 P2	252317	2380	VG 2251-2380 P2	252327
765	VG 2251-0765 P2	252308	1615	VG 2251-1615 P2	252318			
850	VG 2251-0850 P2	252309	1700	VG 2251-1700 P2	252319			

TYPE VG2-2251 P2

Weight: 15.60 Kg/m²

Width W mm	Belts Ref.	Code	Width W mm	Belts Ref.	Code	Width W mm	Belts Ref.	Code
85	VG2 2251-0085 P2	252400	935	VG2 2251-0935 P2	252410	1785	VG2 2251-1785 P2	252420
170	VG2 2251-0170 P2	252401	1020	VG2 2251-1020 P2	252411	1870	VG2 2251-1870 P2	252421
255	VG2 2251-0255 P2	252402	1105	VG2 2251-1105 P2	252412	1955	VG2 2251-1955 P2	252422
340	VG2 2251-0340 P2	252403	1190	VG2 2251-1190 P2	252413	2040	VG2 2251-2040 P2	252423
425	VG2 2251-0425 P2	252404	1275	VG2 2251-1275 P2	252414	2125	VG2 2251-2125 P2	252424
510	VG2 2251-0510 P2	252405	1360	VG2 2251-1360 P2	252415	2210	VG2 2251-2210 P2	252425
595	VG2 2251-0595 P2	252406	1445	VG2 2251-1445 P2	252416	2295	VG2 2251-2295 P2	252426
680	VG2 2251-0680 P2	252407	1530	VG2 2251-1530 P2	252417	2380	VG2 2251-2380 P2	252427
765	VG2 2251-0765 P2	252408	1615	VG2 2251-1615 P2	252418			
850	VG2 2251-0850 P2	252409	1700	VG2 2251-1700 P2	252419			

TYPE VG3-2251 P2

Weight: 15.30 Kg/m²

Width W mm	Belts Ref.	Code	Width W mm	Belts Ref.	Code	Width W mm	Belts Ref.	Code
85	VG3 2251-0085 P2	252500	935	VG3 2251-0935 P2	252510	1785	VG3 2251-1785 P2	252520
170	VG3 2251-0170 P2	252501	1020	VG3 2251-1020 P2	252511	1870	VG3 2251-1870 P2	252521
255	VG3 2251-0255 P2	252502	1105	VG3 2251-1105 P2	252512	1955	VG3 2251-1955 P2	252522
340	VG3 2251-0340 P2	252503	1190	VG3 2251-1190 P2	252513	2040	VG3 2251-2040 P2	252523
425	VG3 2251-0425 P2	252504	1275	VG3 2251-1275 P2	252514	2125	VG3 2251-2125 P2	252524
510	VG3 2251-0510 P2	252505	1360	VG3 2251-1360 P2	252515	2210	VG3 2251-2210 P2	252525
595	VG3 2251-0595 P2	252506	1445	VG3 2251-1445 P2	252516	2295	VG3 2251-2295 P2	252526
680	VG3 2251-0680 P2	252507	1530	VG3 2251-1530 P2	252517	2380	VG3 2251-2380 P2	252527
765	VG3 2251-0765 P2	252508	1615	VG3 2251-1615 P2	252518			
850	VG3 2251-0850 P2	252509	1700	VG3 2251-1700 P2	252519			

Other widths available on request.